



FULLY THREADED STUD BOLT ASTM A193-B8



C30

เกลียวตลอดสแตนเลส ASTM A193-B8 ยาว 1 เมตร

				STANDARD	UNI5587			
				MATERIAL	STAINLESS			
				COATING				
				CODE	CTA, DNU-B8			
				UPDATE	13-12-2010			
Size Inch	Pitch เกลียว	หัวน็อต A194-B8	1 เมตร (1,000) A193-B8	Size Min	Pitch เกลียว	หัวน็อต A194-B8	1 เมตร (1,000) A193-B8	
3/8	16			M10	1.5			
1/2	13			M12	1.75			
5/8	11			M14	2.0			
3/4	10			M16	2.0			
7/8	9			M18	2.5			
1"	8			M20	2.5			
1.1/8	8			M22	2.5			
1.1/4	8			M24	3.0			
1.3/8	8			M27	3.0			
1.1/2	8			M30	3.5			
1.3/4	8			M36	4.0			

FULLY THREADED STUD BOLT ASTM A193-B8M

เกลียวตลอดสแตนเลส ASTM A193-B8M ยาว 1 เมตร


				STANDARD	UNI5587			
				MATERIAL	STAINLESS			
				COATING				
				CODE	CTAM, DNU-B8M			
				UPDATE	13-12-2010			
Size Inch	Pitch เกลียว	หัวน็อต a194-b8M	1 เมตร (1,000) a193-b8M	Size Min	Pitch เกลียว	หัวน็อต a194-b8M	1 เมตร (1,000) a193-b8M	
3/8				M12				
1/2				M14				
5/8				M16				
3/4				M18				
7/8				M20				
1"				M22				
1.1/8				M24				
1.1/4				M27				
1.1/2				M30				
				M36				



FULLY THREADED STUD BOLT STAINLESS ASTM A193-B8+2HEAVY HEX NUTS ASTM A194-B8

C30.1

เกลียวตลอดสแตนเลส ASTM A193-B8 + 2หัว SUS ASTM A194-B8



STANDARD	ANSI/ASME B18.2.2
MATERIAL	ASTM A193-B8
COATING	
CODE	CT82N,CTAS
UPDATE	08-12-2010

d (Diameter)	1/2	5/8	3/4	7/8	1"	1.1/8	1.1/4	1.1/2
p (pitch)	13	11	10	9	8	8	8	8
M (Head Thickness)	31/64	39/64	41/64	55/64	63/64	1.7/64	1.7/32	1.15/32
B (Wide across flat)	7/8	1.1/16	1.1/4	1.7/16	1.5/8	1.13/16	2"	2.3/8



ราคาต่อชุด 1สตั๊ด+2หัวน็อต (Price Per Set 1Stud+2HexNuts)									
Length	3/8	1/2	5/8	3/4	7/8	1"	1.1/8	1.1/4	1.1/2
40,45,50									
55,60									
65,70									
75,80									
85,90									
95,100									
105,110									
115,120									
125,130									
135,140									
145,150									
155,160									
165,170									
175,180									
185,190									
195,200									
205,210									
215,220									
225,230									
235,240									
245,250									
255,260									
265,270									
275,280									
285,290									
295,300									
305,310									
315,320									
325,330									
335,340									
345,350									
355,360									
365,370									
375,380									
385,390									
395,400									
405,410									
415,420									
Size	3/8	1/2	5/8	3/4	7/8	1"	1.1/8	1.1/4	1.1/2
หัว A194-B8 Heavy Hex Nut									

Bolts / Screws

FULLY THREADED STUD BOLT STAINLESS ASTM A193-B8+2HEAVY HEX NUTS ASTM A194-B8

C30.2

เกลียวตลอดสแตนเลส ASTM A193-B8 + 2หัว SUS ASTM A194-B8



STANDARD	ANSI/ASME B18.2.4
MATERIAL	ASTM A193-B8
COATING	
CODE	CT82N,CTAS
UPDATE	22-12-2010

d (Diameter)	M12	M14	M16	M20	M22	M24	M27	M30	M36	M42	M48
p (pitch)	1.75	2.0	2.0	2.5	2.5	3.0	3.0	3.5	4.0	4.5	5.0
M (Head Thickness)	12	14	17	20	23	24	27	30	36	42	48
B (Wide across flat)	21	24	27	34	36	41	46	50	60	70	80

ราคาต่อชุด 1สตั๊ด+2หัวน็อต (Price Per Set 1Stud+2HexNuts)										
Length	M10	M12	M16	M20	M22	M24	M27	M30	M36	
30,40,45,50										
55,60										
65,70										
75,80										
85,90										
95,100										
105,110										
115,120										
125,130										
135,140										
145,150										
155,160										
165,170										
175,180										
185,190										
195,200										
205,210										
215,220										
225,230										
235,240										
245,250										
255,260										
265,270										
275,280										
285,290										
295,300										
305,310										
315,320										
325,330										
335,340										
345,350										
355,360										
365,370										
375,380										
385,390										
395,400										
405,410										
415,420										
Size	M10	M12	M16	M20	M22	M24	M27	M30	M36	
หัว A194-B8 Heavy Hex Nut										

Bolts / Screws



FULLY THREADED STUD BOLT STAINLESS ASTM A193-B8M+2HEAVY HEX NUTS ASTM A194-B8M

C30.3


เกลียวตลอดสแตนเลส ASTM A193-B8M + 2หัวSUS ASTM A194-B8M

	STANDARD	ANSI/ASME B18.2.2
	MATERIAL	ASTM A193-B8M
	COATING	
	CODE	CT8M2N
	UPDATE	08-12-2010

d (Diameter)	1/2	5/8	3/4	7/8	1"	1.1/8	1.1/4	1.1/2
p (pitch)	13	11	10	9	8	8	8	8
M (Head Thickness)	31/64	39/64	41/64	55/64	63/64	1.7/64	1.7/32	1.15/32
B (Wide across flat)	7/8	1.1/16	1.1/4	1.7/16	1.5/8	1.13/16	2"	2.3/8

ราคาต่อชุด 1สตั๊ด+2หัวน็อต (Price Per Set 1Stud+2HexNuts)

Length	1/2	5/8	3/4	7/8	1"	1.1/8	1.1/4	1.1/2
40,45,50								
55,60								
65,70								
75,80								
85,90								
95,100								
105,110								
115,120								
125,130								
135,140								
145,150								
155,160								
165,170								
175,180								
185,190								
195,200								
205,210								
215,220								
225,230								
235,240								
245,250								
255,260								
265,270								
275,280								
285,290								
295,300								
305,310								
315,320								
325,330								
335,340								
345,350								
355,360								
365,370								
375,380								
385,390								
395,400								
405,410								
415,420								
Size	1/2	5/8	3/4	7/8	1"	1.1/8	1.1/4	1.1/2
หัวA194-B8M Heavy Hex Nut								

The Best Source of All Your Screws and Hand Tools											
FULLY THREADED STUD BOLT STAINLESS ASTM A193-B8M+2HEAVY HEX NUTS ASTM A194-B8M											C30.4
เกลียวตลอดสแตนเลส ASTM A193-B8M + 2หัว SUS ASTM A194-B8M											
	STANDARD	ANSI/ASME B18.2.4									
	MATERIAL	ASTM A193-B8M									
	COATING										
	CODE	CT8M2N									
	UPDATE	22-12-2010									
d (Diameter)	M12	M14	M16	M20	M22	M24	M27	M30	M36	M42	M48
p (pitch)	1.75	2.0	2.0	2.5	2.5	3.0	3.0	3.5	4.0	4.5	5.0
M (Head Thickness)	12	14	17	20	23	24	27	30	36	42	48
B (Wide across flat)	21	24	27	34	36	41	46	50	60	70	80
Length	M12	M16	M20	M22	M24	M27	M30	M36			
30,40,45,50											
55,60											
65,70											
75,80											
85,90											
95,100											
105,110											
115,120											
125,130											
135,140											
145,150											
155,160											
165,170											
175,180											
185,190											
195,200											
205,210											
215,220											
225,230											
235,240											
245,250											
255,260											
265,270											
275,280											
285,290											
295,300											
305,310											
315,320											
325,330											
335,340											
345,350											
355,360											
365,370											
375,380											
385,390											
395,400											
405,410											
415,420											
Size	M12	M16	M20	M22	M24	M27	M30	M36			
หัวA194-B8M Heavy Hex Nut.											

Bolts / Screws



FULLY THREADED STUD BOLT STAINLESS 304 INCH

C30.5

สตั๊ดเกลียวตลอดสแตนเลส 304 หุ่น






ABPON

STANDARD	
MATERIAL	STAINLESS 304
COATING	
CODE	CTD
UPDATE	08-12-2010

d (Diameter)	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1"
p (pitch)	20	18	16	12,13	11	10	9	8
M (Head Thickness)								
B (Wide across flat)								

Length	Size							
	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1"
30,40,45,50								
55,60								
65,70								
75,80								
85,90								
95,100								
105,110								
115,120								
125,130								
135,140								
145,150								
155,160								
165,170								
175,180								
185,190								
195,200								
205,210								
215,220								
225,230								
235,240								
245,250								
255,260								
265,270								
275,280								
285,290								
295,300								
305,310								
315,320								
325,330								
335,340								
345,350								
355,360								
365,370								
375,380								
385,390								
395,400								
405,410								
415,420								

 The Best Source of All Your Screws and Hand Tools 								
FULLY THREADED STUD BOLT STAINLESS 304 MIN		C30.6						
สัตตเกลียวตลอดสแตนเลส 304 มิล 		STANDARD MATERIAL STAINLESS 304 COATING CODE CTD UPDATE 08-12-2010						
d (Diameter)	M6 M8 M10 M12 M16 M20 M22 M24							
p (pitch)	1.0 1.25 1.5 1.75 2.0 2.5 2.5 3.0							
M (Head Thickness)								
B (Wide across flat)								
	Size							
Length	M6	M8	M10	M12	M16	M20	M22	M24
30,40,45,50								
55,60								
65,70								
75,80								
85,90								
95,100								
105,110								
115,120								
125,130								
135,140								
145,150								
155,160								
165,170								
175,180								
185,190								
195,200								
205,210								
215,220								
225,230								
235,240								
245,250								
255,260								
265,270								
275,280								
285,290								
295,300								
305,310								
315,320								
325,330								
335,340								
345,350								
355,360								
365,370								
375,380								
385,390								
395,400								
405,410								
415,420								

Bolts / Screws



FULLY THREADED STUD BOLT STAINLESS 316 INCH

C30.7

สตั๊ดเกลียวตลอดสแตนเลส 316 หุ่น





ABPON

STANDARD	
MATERIAL	STAINLESS 316
COATING	
CODE	CTD
UPDATE	08-12-2010

d (Diameter)	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1"
p (pitch)	20	18	16	12,13	11	10	9	8
M (Head Thickness)								
B (Wide across flat)								

Length	Size							
	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1"
30,40,45,50								
55,60								
65,70								
75,80								
85,90								
95,100								
105,110								
115,120								
125,130								
135,140								
145,150								
155,160								
165,170								
175,180								
185,190								
195,200								
205,210								
215,220								
225,230								
235,240								
245,250								
255,260								
265,270								
275,280								
285,290								
295,300								
305,310								
315,320								
325,330								
335,340								
345,350								
355,360								
365,370								
375,380								
385,390								
395,400								
405,410								
415,420								

The Best Source of All Your Screws and Hand Tools										
FULLY THREADED STUD BOLT STAINLESS 316 MIN								C30.8		
สตัดเกลียวตลอดสแตนเลส 316 มิล										
								STANDARD		
								MATERIAL	STAINLESS 316	
								COATING		
								CODE	CTD	
								UPDATE	08-12-2010	
d (Diameter)	M6	M8	M10	M12	M16	M20	M22	M24		
p (pitch)	1.0	1.25	1.5	1.75	2.0	2.5	2.5	3.0		
M (Head Thickness)										
B (Wide across flat)										
	Size									
Length	M6	M8	M10	M12	M16	M20	M22	M24		
30,40,45,50										
55,60										
65,70										
75,80										
85,90										
95,100										
105,110										
115,120										
125,130										
135,140										
145,150										
155,160										
165,170										
175,180										
185,190										
195,200										
205,210										
215,220										
225,230										
235,240										
245,250										
255,260										
265,270										
275,280										
285,290										
295,300										
305,310										
315,320										
325,330										
335,340										
345,350										
355,360										
365,370										
375,380										
385,390										
395,400										
405,410										
415,420										

Bolts / Screws